



FLAVOUR BLASTER

PRO 2

USER MANUAL

CONGRATULATIONS

CONGRATULATIONS ON YOUR PURCHASE OF THIS FLAVOUR BLASTER PRO 2!
FOR THE BEST EXPERIENCE PLEASE CAREFULLY READ AND FOLLOW THIS USER MANUAL.

For the latest information and to be part of a great and growing community please join our Bubble Heads Club:

<https://www.flavourblaster.com/account/register>



IMPORTANT INFORMATION

ALWAYS STORE THE FLAVOUR BLASTER IN AN UPRIGHT POSITION:
THIS WILL PREVENT ANY LIQUIDS ENTERING INSIDE THE CASING.

POWERING THE FLAVOUR BLASTER ON & OFF:

Press the Trigger 3 times in quick succession to turn on the Flavour Blaster.

Press the Trigger 3 times in quick succession to turn off the Flavour Blaster.

Always power off the Flavour Blaster when it is not being used and remove the Tank.

8 SECOND CUT OFF:

If Trigger is pressed for 8 seconds Flavour Blaster will stop firing until Trigger is released and pressed again.

TANK:

Do not pour alcohol into tank, this can cause fire.

Tank /Coil will get hot during use so ensure Tank is allowed to cool down before removing Tank from Blaster.

SHIPPING & TRAVELLING:

Remove Tank when shipping or traveling to prevent Tank activating if Flavour Blaster inadvertently turns on.

Follow rules regarding shipping or traveling with a device with 2 permanently installed Lithium Ion Batteries.

The Batteries are not removable or loose in the device.

SHORT CIRCUIT PROTECTION:

Short Circuit Protection prevents the Flavour Blaster against short circuiting and will stop the unit from functioning in unsafe conditions. The Flavour Blaster features automatic real-time Tank Ohms detection.

OVER CHARGE PROTECTION:

Flavour Blaster monitors the battery voltage and will automatically power off when the battery is over charged.



FLAVOUR BLASTER KIT INCLUDES:

- 1x Flavour Blaster Pro 2
- 1x USB-C Cable
- 1x Reusable Tank
- 5x Tank Coil
- 5x Aroma
- 1x Bubble X
- 1x Bubble X Bowl
- 1x Atomiser



QUICK START



1. CHARGE BLASTER

Insert USB-C Cable
(See pages 6-7)



2. FILL TANK

Pour Aroma into Tank
(See pages 8-10)



3. INSERT TANK

Insert Tank & add Nozzle



4. TURN ON

Press Trigger 3 times



5. DIP NOZZLE

Into Bubble X Jigger
(See page 12 for bubble technique)



6. HOLD TRIGGER

Creates Aroma Filled Bubbles
Double click trigger for clear bubbles
(See page 11)

BEST PRACTICE




1. STORE UPRIGHT
Handle with care around liquids



2. ONLY DIP NOZZLE END
Don't dip whole Nozzle into Bubble X



3. DON'T TIP BACKWARDS
To prevent liquids leaking into Blaster



4. NO BUBBLE X IN TANK
To prevent Tank damage & leaking



5. CLEANING
Clean with alcohol wipe after use



6. REMOVE TANK
When not in use to prevent leaking

ATOMISER

Dry bar environments can sometimes be a challenge for the bubble. To improve it's stability, we recommend using the Atomiser.



1. TWIST OPEN

Twist upper half of Atomiser to open



2. REMOVE INNER BOTTLE

Remove inner tube from Atomiser outer casing



3. FILL WITH WATER

Unscrew lid and fill clear container with water
Screw lid back on and place into outer casing



4. SPRAY OVER DRINK/GLASS

Increase bubble success rate by spraying cocktails/glassware
1/2 x with water



5. SPRAY OVER BUBBLE

Spray over bubble to further increase stability



6. TWIST CLOSED

Twist upper half in the opposite direction to close when not in use

BATTERY

To charge your Flavour Blaster Battery connect the correctly powered USB-C Cable to the USB-C Input Port. The Screen will show the Battery charge %.

A full Battery charge will take 8 hours, giving the Flavour Blaster 8 hours of usage time.

PLEASE READ AND ADHERE TO THE FOLLOWING WARNINGS WHEN CHARGING YOUR DEVICE:

- Only charge the Flavour Blaster with a high quality CE & UL Certified wall charger.
- Never charge a Battery that has been damaged or dropped.
- Never plug a Charger into a non-approved Mains Power Transformer.
- Do not overcharge, remove the USB-C Cable from the Flavour Blaster when complete to prolong battery life.
- Remove Tank before charging.
- Never leave a charging battery unattended.
- Only use the included high quality USB-C Charging Cable.
- Do not charge your Flavour Blaster in your car.
- Remove the Tank from the Flavour Blaster when shipping or travelling.
- If there are any issues with the device please contact JetChill immediately.



SCREEN



1. 100% BATTERY




2. 80% BATTERY



3. 60% BATTERY



4. 40% BATTERY



5. 10% (FLASHING)



6. NO BATTERY (PLUG IN USB-C)



FILL REUSABLE TANK




1. CHECK COIL

Ensure Coil screwed tight into Base
And 3x Rubber Seals in place




2. PRIME COIL COTTON

Allow small amount of Aroma
to absorb into Coil Cotton



3. FILL TANK

Tightly screw Tank parts together
Pour Aroma into Outer (not Inner) Hole



4. FILL LINE

Fill to Min & rest for 2 minutes
Then fill to Max & rest for 2 minutes



5. CONNECT TANK

Ensure Tank is not leaking
Then connect to Mag Base



6. CHANGE COIL

Recommended every 4 weeks

FILL DISPOSABLE TANK




1. OPEN FLAP

Pull Outer Hole Flap open



2. FILL TANK

Pour Aroma into Outer (Not Inner) Hole



3. FILL LINE

Fill to Max then rest for 2 minutes



4. CONNECT TANK

Connect to Mag Base



5. REPLACE TANK

Every 8 Weeks
Or once Aroma Cloud smells burnt



6. CLEANING

Clean Base with alcohol wipe

CLEAN REUSABLE TANK



1. UNSCREW LID



2. PULL OFF GLASS COVER



3. UNSCREW COIL



4. ALCOHOL WIPE PARTS (NOT COIL)



5. ALCOHOL WIPE TANK BASE



6. ALCOHOL WIPE MAG BASE

CLEAR BUBBLE



1. PRESS TRIGGER TWICE



2. DIP NOZZLE IN BUBBLE X



3. PULL TRIGGER



4. PRESS TRIGGER TWICE
To produce Aroma again

BUBBLE TECHNIQUE

Create bubbles filled with aromatics, fill cloches with aromatic clouds, make your own aromatic clouds for cocktail & drinks, add theatrical clouds for desserts, and much more.



1. Bubble mixture should be shaken gently prior to use or every 24 hours



2. Bubbles can be created on both wet and dry rims. You can create a wet rim by rinsing the glass or by using a fine mist spray bottle like an atomiser. Sometimes bubbles are fragile so it's always best to prepare the glass for the best chance of achieving the perfect bubble.



3. Carbonated drinks can occasionally pop your bubble as gas bubbles hit the rim of the glass, breaking the surface tension. Always leave a 2cm to 3cm gap between top of drink and rim. Note if alcohol is strong or neat, the bubble is harder to form, as the alcohol will evaporate the water in the film of the bubble.



4. Sharp glass edges, shaped glassware, plastic rim and drinks containing ice will be very difficult to form a bubble upon. We recommend using glassware with soft rolled edges.



5. Glassware must be clean and washed correctly. Residue detergent from a glass washer may compromise the forming of the bubble.



6. Always try and keep the bubble mixture at 18c room temperature. If it gets too warm it can make it harder to form bubbles!



BUBBLE QUANTITIES

- 1. 180ml bottle of Bubble X makes 1000 bubbles.
- 2. 10ml bottle of Aroma makes 250 aroma clouds.

RGB



1. WHITE LED FLASHES

- x3 Temperature too high
- x4 Excess use heat protection
- x5 Power On/Off



2. RED LED FLASHES

- x3 Tank not detected
- x5 Battery wattage low



3. GREEN LED FLASHES

- x3 Coil needs replacing
- x5 Tank detected

WARNING

PLEASE READ THIS SECTION CAREFULLY TO ENSURE YOU RECEIVE MAXIMUM BENEFITS FROM YOUR FLAVOUR BLASTER PRO 2 AND ENJOY THE PRODUCT IN THE MOST SAFE EFFECTIVE WAY:

1. This Flavour Blaster is designed to be used with Flavour Blaster Aroma's and Bubble X only. It is not designed to be used with any e-liquids or loose tobacco leaf or herbal substances!
2. This product is only intended for use by adults (18+) and should not be used by children, women who are pregnant or breastfeeding, or persons with or at risk of heart disease, high blood pressure, diabetes or taking medicine for depression or asthma, or who otherwise may be sensitive to Aroma's. I.e. toxic by inhalation, in contact with the skin or eyes, or if swallowed. Ingestion of the non-vaporized concentrated Aroma ingredients can be poisonous. Keep away from children and pets.
3. The Flavour Blaster has not been evaluated by the FDA and is not intended to be a smoking device or treat, mitigate, prevent or cure any disease or condition.
4. The Tank & Coils must be stored out of the reach of children and pets. All spare and used Tanks and Coils must also be disposed of properly and out the reach of children and pets.
5. The Flavour Blaster includes small parts such as the Tank Coil. Always keep any small parts out of reach of children and pets to prevent swallowing or other harm.
6. Do not misuse, mishandle or store your Flavour Blaster improperly. Even though it is made of durable plastic and metal it may become damaged when dropped or otherwise mishandled.
7. Do not attempt to repair the unit by yourself as damage or personal injury may occur.
8. In order to guarantee the normal functioning of your Flavour Blaster we strongly advise that you charge the battery when the power level drops below 10%.



9. In order to prolong the operation of your Flavour Blaster, please do not place or store in excessively hot or cold environments. Keep away from sources of excessive heat as damages may occur.
10. Obey local laws or regulations regarding Electronic Cigarettes when producing Aroma Clouds. If you are in an area where there are any bans or potential dangers, please do not use your Flavour Blaster.
11. Your Flavour Blaster is not waterproof, please keep it dry at all times, especially the USB-C Port.
12. Do not allow any Aroma, Bubble X, or liquid to enter the device through the USB-C port. If any liquids enter the device, or come into contact with internal components, please discontinue using or charging the device and contact JetChill immediately.
13. Do not drop, throw, mishandle your Flavour Blaster as the Casing or inner components may become damaged.
14. JetChill is not responsible for battery and charger explosions, or malfunctions, due to the use of a low-quality charger. Only use the original Flavour Blaster USB-C Cable to charge your Flavour Blaster. We strongly recommend that you always use a high quality USB wall charger (CE & UL Certified). The Flavour Blaster is not designed for use with a car charger and the Kit does not include a car charger.
15. JetChill is not responsible for any tank or battery damage due to the use of e-liquid or dry herb.
16. Do not ingest Aroma direct from the Bottle. In case of Aroma contact with skin, wash immediately and thoroughly with soap and water. In case of contact with eyes, rinse immediately and thoroughly with water and seek full medical advice immediately. In case of an accident, or if you feel unwell, seek full medical advice.
17. Do not ingest Bubble X direct from the bottle. If swallowed, rinse mouth immediately with plenty of water and drink a glass of water. Do not induce vomiting. Rinse off the skin and eyes immediately should the liquid come into contact with them.



TECHNICAL SPECIFICATIONS

| | |
|------------------------------|-------------------------------------|
| Battery (Lithium Ion): | 5,000 mAh, 2x 3.6 V (INR18650–30Q) |
| Output Power: | 30 W |
| Output Voltage: | 2.99–3.7 V |
| Output Current (continuous): | 4.0–10.0 A |
| Atomizer Resistance (cold): | 0.1–1.2 Ohm |
| Temperature Limit: | 200–600 oF |
| Input Voltage (unloaded): | 5 V 1 A |
| Input Current: | 8.0–10.0 A |
| Screen On Current: | < 20 mA |
| Quiescent Current: | < 50 mA |
| Power Down Current: | 32–106 uA |
| Efficiency: | 90 % |

WARRANTY INFORMATION

JetChill provides a 12 month warranty on parts and labour for the Flavour Blaster.

Please consult www.flavourblaster.com for full terms and conditions.

For warranty assessment the Flavour Blaster needs to be returned to the factory please contact info@jetchill.com as the first step.

Empty Tank before shipping and ensure Tank is not connected to the Mag Base.





FLAVOUR
BLASTER

JetChill Ltd
The Printcentre Building
Fulwell Road
Sunderland
UK
SR6 0HR

www.flavourblaster.com
www.jetchill.com
info@jetchill.com
00 44 (0) 208 1243014

