


thermoport® kitchen –

FOOD REGENERATION, TRANSPORT, COOKING, COOLING AND SERVING.

Discover the top-quality details that make up the Rieber thermoport®. Rustproof stainless steel as inside and outside material does not just guarantee excellent insulation and consequently meets the most stringent hygiene requirements, but also ensures perfect quality. The stainless steel thermoport® is available as a toplayer or frontloader in almost every size and design variant. There is also a choice between mobile or stationary models.

BENEFITS AT A GLANCE:



Reliable storage.



Safe transport.



Easy serving.



Digital heating.



The original.



Replaceable insulation.



Low weight.



Interior tightly welded



Several temperature zones
via insulated dividers.



Robust.




thermoport® 105 L

dishwasher-safe, made from stainless steel, with heating capacity up to +95 °C

L x W x H (mm):
400 x 600 x 306

Weight: 13.5 kg

Max. filling volume: 26 l

 thermoport® 105 L:
85 01 03 02

thermoport® 1000 N / 1000 H / 1000 DU

dishwasher-safe (without heating system), made from stainless steel, with heating capacity up to +100 °C

**thermoport® 1000 N:
(without heating)**

L 410 x W 665 x H 470 mm

Weight: 17 kg / 44.4 l vol.


85 01 04 04

 thermoport® 1000 H:

L 410 x W 655 x H 470 mm

Weight: 20 kg / 44.4 l vol.

85 01 04 05

 thermoport® 1000 DU:
(with service option)

L 410 x W 645 x H 530 mm

Weight: 32 kg / 52 l vol.

85 01 05 03

thermoport® 1600 / 1600 U / 1600 DU

dishwasher-safe (without heating system), made from stainless steel, with heating capacity up to +100 °C

**thermoport® 1600:
(without heating)**

L 492 x W 769 x H 930 mm

Weight: 41 kg / 70.4 l vol.


85 01 06 08

 thermoport® 1600 U:

L 492 x W 769 x H 930 mm

Weight: 45 kg / 70.4 l vol.

85 01 06 09

 thermoport® 1600 DU:
(with service option)

L 492 x W 769 x H 963 mm

Weight: 47 kg / 78 l vol.

85 01 09 03

thermoport® 2000 / 2000 U

dishwasher-safe (without heating system), made from stainless steel, with heating capacity up to +100 °C

**thermoport® 2000:
(without heating)**

L 492 x W 769 x H 1078 mm

Weight: 46 kg / 89.7 l vol.

85 01 07 07

 thermoport® 2000 U:


L 492 x W 769 x H 1078 mm

Weight: 50 kg / 89.7 l vol.

85 01 07 08



DIMENSIONS:



thermoport® 3000 / 3000 U

dishwasher-safe (without heating system), made from stainless steel, with heating capacity up to +100 °C

thermoport® 1000 C / 1600 K / 2000 K / 3000 K

made from stainless steel, cooling capacity +4 to +8 °C

thermoport® CHILL

thermoport® with active circulating air cooling, cooling capacity +2 °C

hybrid kitchen® 140 / hybrid kitchen® 200

For regenerating, baking, core temperature cooking, steaming and cooking at different chamber temperatures.

thermoport® 3000: (without heating)

L 592 x W 769 x H 1448 mm
Weight: 59 kg / 130 l vol.
85 01 08 07

thermoport® 3000 U:

L 592 x W 769 x H 1448 mm
Weight: 63 kg / 130 l vol.
85 01 08 08

thermoport® 1000 C:

L 410 x W 655 x H 760 mm
Weight: 37 kg / 44.4 l vol.
85 01 04 06

thermoport® 1600 K:

L 492 x W 769 x H 1130 mm
Weight: 50 kg / 70.4 l vol.
85 01 06 10


thermoport® 2000 K:

L 492 x W 769 x H 1278 mm
Weight: 80 kg / 89.7 l vol.
85 01 07 10

thermoport® 3000 K:

L 592 x W 769 x H 1648 mm
Weight: 100 kg / 130 l vol.
85 01 08 10


thermoport® CHILL:

 up to +2 °C
L 662 x W 870 x H 981 mm
Weight: 65 kg / 78 l vol.
85 01 09 07

hybrid kitchen® 140:

 up to 140 °C
with service function
L 592 x W 769 x H 960 mm
Weight: 61 kg / 78 l vol.
85 01 09 04

hybrid kitchen® 200:

 up to 200 °C
L 662 x W 870 x H 981 mm
Weight: 69 kg / 78 l vol.
85 01 09 11

YOUR BENEFIT:

The thermoport® CHILL & hybrid kitchen® 200 doors can be exchanged!

ONE BODY – MANY FUNCTIONS!

